



SPINTITE
TRADE MARK REGISTERED

GRIP SPINTITE
TRADE MARK REGISTERED

Tools of Quality
FOR THE AUTOMOTIVE,
RADIO AND METAL
TRADE INDUSTRIES



STEVENS WALDEN PRODUCTS

SOCKET WRENCHES

AUTOMOTIVE TOOLS

OPEN END WRENCHES

SCREWDRIVERS

BOX WRENCHES

AIRCRAFT TOOLS

SPINTITE WRENCHES

METAL BOXES

GRIP SPINTITE WRENCHES

HAMMER HEADS

ADJUSTABLE WRENCHES

IMPACT SOCKETS

STEVENS WALDEN, Inc.

WORCESTER, MASSACHUSETTS

STEVENS WALDEN, Inc.

TOOLS

WRENCHES

BOXES

AIRCRAFT · AUTOMOTIVE · INDUSTRIAL · RADIO · REFRIGERATION

WORCESTER 4, MASSACHUSETTS

TELEPHONE 3-8195

TO OUR CUSTOMERS—

Because of the large number and variety of Hand Tools in our line, we are issuing Sectional Catalogues suited to Particular Fields. This is your New Catalogue and Price List covering that part of our wide line which includes:

GRIP-SPINTITES
 STANDARD SPINTITES
 DEEP DRILLED SPINTITES
 MINIATURE SPINTITES
 STUBBY SPINTITES
 LONG SPINTITES
 JUMBO SPINTITES
 SQUARE SPINTITES
 KNURLED SPINTITES
 SCREWDRIVERS
 MIDGET SOCKET WRENCHES (1/4" DRIVE)
 INTERCHANGEABLE SPINTITES
 PANEL CUTTERS
 ADJUSTABLE WRENCHES
 HOLLOW HEAD SET SCREW WRENCHES
 HEX DRIVE WRENCH SETS
 SOFT-FACED HAMMERHEADS

In this catalogue and price list you will note a system of Standard Packages and also New Numbers on some of the items. When ordering please use New Numbers and Standard Pack Quantities.

Thank you,


STEVENS WALDEN, Inc.

STEVENS WALDEN WRENCHES

PRESENTING THE

"GRIP" *New* SPINTITE[®]
PATENTS PENDING
WRENCHES

ONE HAND OPERATION
PUSH — TO CLAMP
PULL — TO RELEASE



**MADE IN SIZES
TO HOLD 3/16" TO 11/16" HEX NUTS**

for
**AUTOMOTIVE
TELEVISION • RADIO
INSTRUMENTS *and*
ASSEMBLY WORK**

**NO MAGNETS — NO SPRINGS!
NOTHING TO GET OUT OF ORDER**

**GRIPS and HOLDS hex nuts or bolts of any material.
TIGHTENS securely.**

STEVENS WALDEN, Inc.
WORCESTER, MASSACHUSETTS

® TRADE MARK REGISTERED


STEVENS WALDEN WRENCHES

THE *New*

"G" **RIP SPINTITE® WRENCH**

PATENTS PENDING

**WITH THE EASY
"FINGER CONTROL"
THAT SAVES YOUR
TIME AND TEMPER**



Number	Size	Overall Length	Nut Size	Bolt Clearance Hole	Standard Pack
3606	3/16"	6 1/2"	No. 2 and No. 3	1 1/4"	6
3607	7/32"	6 1/2"		1 1/4"	6
3608	1/4"	6 1/2"	No. 4	1 1/4"	6
3609	9/32"	6 1/2"		1 1/4"	6
3610	5/16"	6 1/2"	No. 5 and No. 6	1 1/4"	6
3611	11/32"	6 1/2"	No. 8	1 1/4"	6
3612	3/8"	6 1/2"	No. 10	1 1/4"	6
3614	7/16"	6 1/2"	No. 12 and 1/4	1 1/4"	6
3616	1/2"	6 1/2"	5/16	1 1/4"	6
3618	9/16"	6 1/2"	3/8	1 1/4"	6
3620	5/8"	6 1/2"		1 1/4"	6
3622	11/16"	6 1/2"	7/16	1 1/4"	6

PLASTIC HANDLES TO GGG-S-121C FEDERAL SPECIFICATION • FINEST QUALITY STEEL SHANK AND SLEEVE • ELECTRONIC CONTROLLED HEAT TREATMENT • PRECISION MACHINED TAPER LOCK • BRIGHT PLATED FINISH • SPECIAL SIZES AND MATERIALS TO ORDER

STEVENS WALDEN, Inc.
WORCESTER, MASS.

GRIP-SPINTITE WRENCHES

SET NO. 3600-A6



Here is a set of those handy GRIP-SPINTITES® that will save dollars in the shop or factory.

Six popular sizes $\frac{3}{16}$ " , $\frac{1}{4}$ " , $\frac{5}{16}$ " , $\frac{3}{8}$ " , $\frac{7}{16}$ " , $\frac{1}{2}$ " each in separate package and packed in heavy display carton.

Four-color printing makes this an outstanding set display.

STANDARD PACK — 1 SET

STEVENS WALDEN, Inc.
WORCESTER, MASS.

GRIP-SPINTITE WRENCHES

SET NO. 3600-D60 DISPLAY STAND



TEN DIFFERENT SIZES

Here is a striking metal display stand that will really move those GRIP-SPINTITES. Stand is shipped complete with 6 each of 10 different sizes. Fits on any counter. Self-feeding rails keep one of each size always ready for self-service.

Sizes are $\frac{3}{16}$ " , $\frac{7}{32}$ " , $\frac{1}{4}$ " , $\frac{9}{32}$ " , $\frac{5}{16}$ " , $\frac{11}{32}$ " , $\frac{3}{8}$ " ,
 $\frac{7}{16}$ " , $\frac{1}{2}$ " , $\frac{9}{16}$ "

Stand is finished in bright red baked enamel with 4-color selling story.

STEVENS WALDEN, Inc.
WORCESTER, MASS.


GRIP SPINTITE® WRENCHES

Now

FOR BAT SWITCH WORK...

WALDEN

OFFERS THE WRENCH THAT PREVENTS STRIPPING OF KNURLING ON NUTS AND HEAD SCREWS—BECAUSE IT *HOLDS TIGHT* ON ROUNDS



NUMBER	DESCRIPTION	STD. PACK
36 KC 563	FOR CUTLER HAMMER	6
36 KH 600	FOR HART HAGEMAN	6


*Custom
Made*



KNURLED




FOR KNURLED NUTS




STEVENS WALDEN is now prepared to furnish GRIP SPINTITES® to hold all types of knurled, round and irregular shapes of nuts or bolts.



Because of the variations in shapes, diameters and clearances required, we must custom-fit these wrenches and require the following information—



1. MAJOR DIAMETER
3-PLACE DECIMAL



**2. NUMBER OF SIDES
OR SERRATIONS**



3. CLEARANCE
WIDTH AND HEIGHT

STEVENS WALDEN Inc.
WORCESTER, MASS.

GRIP SPINTITE® WRENCHES

FOR SQUARE NUTS




A complete range of sizes for working with square nuts, set screws or lag screws in hard-to-get-at places.

FINEST QUALITY
STEEL SHANK
AND SLEEVE
•
BRIGHT PLATED
FINISH
•
STRONG
PLASTIC HANDLE

NUMBER	SIZE	STANDARD PACKAGE
3655	$\frac{5}{32}$	6
3656	$\frac{3}{16}$	6
3657	$\frac{7}{32}$	6
3658	$\frac{1}{4}$	6
3660	$\frac{5}{16}$	6
3661	$\frac{11}{32}$	6
3662	$\frac{3}{8}$	6
3664	$\frac{7}{16}$	6
3666	$\frac{1}{2}$	6
3668	$\frac{9}{16}$	6
3670	$\frac{5}{8}$	6

MINIATURE GRIP-SPINTITES®



Saves hours of time in miniature assembly work with these new GRIP-SPINTITES®. No more dropping small nuts or screws in instruments or complicated machinery.

JUST PUSH TO GRIP . . .

PULL TO RELEASE!

It's a ONE-HAND OPERATION!

NUMBER	SIZE	AMERICAN STANDARD MACHINE SCREWS	OPTICAL HEX HEAD SCREWS AND NUTS	STD. PACK
3601	$\frac{5}{64}$		00	6
3602	$\frac{3}{32}$		0	6
3603	$\frac{7}{64}$		1	6
3604	$\frac{1}{8}$		2	6
3605	$\frac{5}{32}$	0 and 1		6

STEVENS WALDEN Inc.
WORCESTER, MASS.

HAMMERHEADS

NOW - YOU CAN **CONVERT**
YOUR

STEEL-FACED HAMMER
EASILY AND QUICKLY

with the



PATENT NOS.
251543
2499802
OTHER PATS. PEND.

New

WALDEN

Soft-Faced

HAMMERHEADS

STRONG STEEL CUP WITH COPPER, LEAD OR PLASTIC INSERT — CAN BE FITTED TO YOUR OWN HAMMER QUICKLY AND EASILY, AND HELD FIRMLY IN PLACE BY TAUT STEEL COIL-SPRING AS SHOWN.

CATALOGUE NO.	TYPE	*STANDARD PACK	PRICE EACH
H A - 1¼	ALUMINUM	12	\$1.50
H C - 1¼	COPPER	12	\$1.50
H L - 1¼	LEAD	12	\$1.50
H P - 1¼	PLASTIC	12	\$1.25

* STANDARD PACK IS 12 OF A KIND OR 12 ASSORTED. ASSORTMENTS MUST BE SPECIFIED OR STANDARD ASSORTMENT OF 4 COPPER, 4 LEAD, 4 PLASTIC WILL BE FURNISHED.

STEVENS WALDEN Inc.
WORCESTER, MASS.

HAMMERHEADS

HAMMERHEADS'

"ON-THE-COUNTER"

SILENT *Super* SALESMAN!



STURDY, COLORFUL
CARDBOARD BOX WITH
BUILT-IN DISPLAY.
OCCUPIES MINIMUM OF
COUNTER SPACE.




STANDARD HAMMERHEAD ASSORTMENT 4 COPPER, 4 LEAD, 4 PLASTIC

STEVENS WALDEN Inc.
WORCESTER, MASS.

SPINTITE WRENCHES

The finest SPINTITES ever made, unexcelled for radio, television, panel or switchboard work.



DEEP DRILLED

DEEP DRILLED SHANKS

Number	Size	Length	Drill Depth	Std	Pkg
3006	3/16	6"	2 1/4"	12	
3007	7/32	6"	2 1/4"	12	
3008	1/4	6"	2 1/4"	12	
3009	9/32	6"	2 1/4"	12	
3010	5/16	6"	2 1/4"	12	
3011	11/32	6"	2 1/4"	12	

HOLLOW SHANKS

Number	Size	Length	Drill Depth	Std	Pkg
3012	3/8	6"	5"	12	
3014	7/16	6"	5"	12	
3016	1/2	6"	5"	12	
3018	9/16	6"	5"	6	
3020	5/8	6"	5"	6	
3022	11/16	6"	5"	6	
3024	3/4	6"	5"	6	
3026	13/16	6"	5"	6	
3028	7/8	6"	5"	6	




SET 3000 A7

An assortment of Deluxe Deep-Drilled SPINTITES in heavy reinforced cardboard box, suitable for display or bench use.

Contents.

1 each—3006, 3008, 3010, 3011, 3012, 3014, 3016.

Standard Pack — 1 Set



SET 3000 B7

SEVEN POPULAR SIZES
IN CAST ALUMINUM STAND

Contents


3006, 3008, 3010, 3011, 3012, 3014, 3016

An assortment of the finest SPINTITES ever made. Alloy steel, extra deep socket, deep drilled and hollow shanks, plastic handles, bright chrome plate.

STEVENS WALDEN, Inc.
WORCESTER, MASS.

SPINTITE WRENCHES

STANDARD



Number	Size	Length	Nut Size	Std. Pkg.
3406	$\frac{3}{16}$	6"	2 & 3	12
3407	$\frac{7}{32}$	6"		12
3408	$\frac{1}{4}$	6"	4	12
3409	$\frac{9}{32}$	6"		12
3410	$\frac{5}{16}$	6"	5 & 6	12
3411	$\frac{11}{32}$	6"	8	12
3412	$\frac{3}{8}$	6"	10	12
3414	$\frac{7}{16}$	$7\frac{1}{8}$ "	12 & $\frac{1}{4}$	12
3416	$\frac{1}{2}$	$7\frac{1}{8}$ "	$\frac{5}{16}$	12
3418	$\frac{9}{16}$	$7\frac{1}{8}$ "	$\frac{3}{8}$	6
3420	$\frac{5}{8}$	$7\frac{1}{8}$ "	$\frac{7}{16}$	6

WOOD HANDLES


Featuring cold forged sockets, hardwood handles in natural rubbed finish, bright plated shanks and ferrules, shanks drilled $1\frac{1}{4}$ " for bolt clearance.

SET 3400 B7 SEVEN POPULAR SIZES IN WOOD STAND

Contents — 3406, 3408, 3410, 3411, 3412, 3414, 3416



KNURLED




Number	Diameter	Std. Pkg.
3490	$\frac{5}{16}$	6
3491	$\frac{11}{32}$	6
3492	$\frac{3}{8}$	6

A special design for battery and instrument work. Knurls have internal taper to take care of variations in size of knurled nuts.

FOR BAT SWITCHES

Number	Description	Standard Pack.
3480	For Hart-Hageman	6
3481	For Cutler-Hammer	6



Special deep cavity accommodates bat handle, knurled surface is tapered for variation in size of rings.

STEVENS WALDEN, Inc.
WORCESTER, MASS.

SPINTITE WRENCHES




CHUCK TYPE

All tools in the following group are interchangeable in the universal chuck type handle.

Number	Description	Size	Length	Nut Size	Std. Pkg.
3801P	Plastic Handle				12
3801W	Wood Handle				12
3802	Ream Awl	$\frac{1}{16}$ to $\frac{3}{16}$	$4\frac{5}{8}$		12
3803	Screwdriver	$\frac{1}{8}$ x 4	$4\frac{5}{8}$		12
3804	Screwdriver	$\frac{3}{16}$ x 4	$4\frac{5}{8}$		12
3805	Screwdriver	$\frac{1}{4}$ x 4	$4\frac{5}{8}$		12
3806	Spintite Shank	$\frac{3}{16}$	$4\frac{7}{16}$	2 & 3	12

Number	Description	Size	Length	Nut Size	Std. Pkg.
3808	Spintite Shank	$\frac{1}{4}$	$4\frac{5}{8}$	4	12
3810	Spintite Shank	$\frac{5}{16}$	$4\frac{5}{8}$	5 & 6	12
3811	Spintite Shank	$\frac{11}{32}$	$4\frac{5}{8}$	8	12
3812	Spintite Shank	$\frac{3}{8}$	$4\frac{5}{8}$	10	12
3814	Spintite Shank	$\frac{7}{16}$	$4\frac{13}{16}$	12 & $\frac{1}{4}$	12
3816	Spintite Shank	$\frac{1}{2}$	$4\frac{3}{4}$	$\frac{5}{16}$	12
3850	Screwdriver, Cross Point	No. 2	$4\frac{5}{8}$		12




SET 3800 B15

THE COMPLETE REPAIRMAN'S KIT IN PLASTIC ROLL

Contents — Universal chuck type handle, three screwdrivers, seven SPINTITES from $\frac{3}{16}$ " to $\frac{1}{2}$ ", plastic neutralizing and alignment tool, 6" long nose pliers, 5" cutting pliers.

To order Set without the pliers and neutralizing tool, use **Number 3800 A12**

SET 3800 D7 THE IDEAL SMALL SET FOR THE RADIO, TELEVISION OR HOME MECHANIC.




Contents

- 3801P — Plastic Handle
- 3806 — $\frac{3}{16}$ " SPINTITE
- 3808 — $\frac{1}{4}$ " SPINTITE
- 3810 — $\frac{5}{16}$ " SPINTITE
- 3811 — $\frac{11}{32}$ " SPINTITE
- 3812 — $\frac{3}{8}$ " SPINTITE
- 3814 — $\frac{7}{16}$ " SPINTITE

Wrenches are interchangeable in the chuck type handle.

A pocket sized set in durable plastic roll.

SET 3800 C6 A COMPLETE SET OF SCREWDRIVERS INTERCHANGEABLE IN A CHUCK TYPE HANDLE WITH POPULAR REAMAWL FOR STARTING SCREWS OR ENLARGING HOLES.



Contents

- 3801P — Plastic Handle
- 3802 — Reamawl
- 3803 — $\frac{1}{8}$ " x 4" Screwdriver
- 3804 — $\frac{3}{16}$ " x 4" Screwdriver
- 3805 — $\frac{1}{4}$ " x 4" Screwdriver
- 3850 — Crosspoint Screwdriver


The car. owner or household mechanic will find this the handiest set on the market.

STEVENS WALDEN, Inc.
WORCESTER, MASS.

SPINTITE WRENCHES

STANDARD

PLASTIC HANDLES



One of the most popular types of SPINTITES. Bright plated shanks with transparent, shockproof, plastic handles.


Number	Size	Length	Nut Size	Std. Pkg.
3906	$\frac{3}{16}$	6"	2 & 3	12
3907	$\frac{7}{32}$	6"		12
3908	$\frac{1}{4}$	6"	4	12
3909	$\frac{9}{32}$	6"		12
3910	$\frac{5}{16}$	6"	5 & 6	12
3911	$\frac{11}{32}$	6"	8	12
3912	$\frac{3}{8}$	6"	10	12
3914	$\frac{7}{16}$	6"	12 & $\frac{1}{4}$	12
3916	$\frac{1}{2}$	6"	$\frac{5}{16}$	12
3918	$\frac{9}{16}$	6"	$\frac{3}{8}$	6
3920	$\frac{5}{8}$	6"	$\frac{7}{16}$	6

SET 3900 B7

SEVEN SIZES, PLASTIC HANDLES IN WOOD STAND

A set for the mechanic who likes fine tools. Shanks are drilled to a depth of $1\frac{1}{4}$ ".

Contents — 3906, 3908, 3910, 3911,
3912, 3914, 3916



SET 3900 A7

Seven of the most popular sizes of STANDARD SPINTITES with plastic handles. Heavy carton, printed in 3 colors, is suitable for display or bench use.


Contents—
1 each—3906, 3908, 3910, 3911, 3912, 3914, 3916

Standard Pack — 1 Set



STEVENS WALDEN, Inc.
WORCESTER, MASS.


SPINTITE WRENCHES



LONG

Extra long SPINTITES, with shockproof plastic handles for those hard-to-get-at places. Especially recommended for deep cabinets, motors and panel work.

Number	Size	Length	Std Pack.	Number	Size	Length	Std Pack.
3206	$\frac{3}{16}$	10"	12	3212	$\frac{3}{8}$	10"	12
3207	$\frac{7}{32}$	10"	12	3214	$\frac{7}{16}$	10"	12
3208	$\frac{1}{4}$	10"	12	3216	$\frac{1}{2}$	10"	12
3209	$\frac{9}{32}$	10"	12	3218	$\frac{9}{16}$	10"	6
3210	$\frac{5}{16}$	10"	12	3220	$\frac{5}{8}$	10"	6
3211	$\frac{11}{32}$	10"	12				



SQUARE

Number	Size	Std. Pkg	Number	Size	Std. Pkg.
3505	$\frac{5}{32}$	12	3511	$\frac{11}{32}$	12
3506	$\frac{3}{16}$	12	3512	$\frac{3}{8}$	12
3507	$\frac{7}{32}$	12	3513	$\frac{13}{32}$	6
3508	$\frac{1}{4}$	12	3514	$\frac{7}{16}$	6
3509	$\frac{9}{32}$	12	3516	$\frac{1}{2}$	6
3510	$\frac{5}{16}$	12	3520	$\frac{5}{8}$	6

A complete range of sizes for all types of square nuts or cap screws.

MINIATURE SPINTITES



**SET NO.
3700 B6**

A complete set of MINI-
ATURE SPINTITES in
attractive plastic roll.

Contents — All six MINIATURE SPINTITES




A brand new line of SPINTITES for fine work on miniature and sub-miniature nuts and headed screws. For complete service work on fine instruments, optical apparatus and electronic equipment. Bright plated steel with hex grip.

Number	Size Hexagon	Standard Pack.
3785	$\frac{5}{64}$	12
3786	$\frac{3}{32}$	12
3787	$\frac{1}{16}$	12
3788	$\frac{1}{8}$	12
3790	$\frac{5}{32}$	12
3792	$\frac{3}{16}$	12

STEVENS WALDEN, Inc.
WORCESTER, MASS.

SPINTITE ALIGNING TOOL

NO. 3852



STANDARD PACK — 12

Made of hard fibre plastic, this is a real four-in-one tool consisting of insulated screw driver, fin type adjustment slot, 5/16" hex wrench and 1/4" hex wrench.

SPINTITE REAMAWL

NO. 3902




One of the handiest tools now available. Will enlarge small holes, remove burrs, make starting holes for small screws.

Handle of transparent plastic, blade of hardened alloy steel ground to sharp point and cutting sides.

STANDARD PACK — 12

SPINTITE WRENCHES


JUMBO



A rugged special SPINTITE for use on all types of hardened or self-tapping cap screws. Shanks and sockets are made of alloy tool steel with a very high degree of hardness. Plastic grip is oversize for greater leverage. Depth of broach is less than thickness of screw heads to prevent marring panels.

Number	Size	Length	Handle Size	Std. Pkg.
3058	1/4	8 1/2"	1 1/4"	6
3059	9/32	8 1/2"	1 1/4"	6
3062	3/8	8 1/2"	1 1/4"	6
3066	1/2	8 1/2"	1 1/4"	6
3068	9/16	8 1/2"	1 1/4"	6

STUBBY



Short SPINTITES for close work in out of the way or blind locations such as behind panels or dashboards.

Number	Size	Std Pack.
3956	3/16	12
3957	7/32	12
3958	1/4	12
3959	9/32	12
3960	5/16	12

Number	Size	Std Pack.
3961	11/32	12
3962	3/8	12
3964	7/16	12
3966	1/2	12

STEVENS WALDEN, Inc.
WORCESTER, MASS.


ROUND BLADES



PLASTIC HANDLES


Number	Blade Diameter	Blade Length	Overall Length	Standard Package
99R 303	$\frac{3}{16}$ "	3"	6"	12
99R 306	$\frac{3}{16}$ "	6"	9"	12
99R 308	$\frac{3}{16}$ "	8"	11 $\frac{1}{4}$ "	12
99R 404	$\frac{1}{4}$ "	4"	7 $\frac{1}{2}$ "	12
99R 405	$\frac{1}{4}$ "	5"	8 $\frac{1}{2}$ "	12
99R 506	$\frac{5}{16}$ "	6"	10"	12
99R 608	$\frac{3}{8}$ "	8"	12"	6
99R 612	$\frac{3}{8}$ "	12"	15 $\frac{3}{4}$ "	6

SQUARE BLADES




Number	Blade Diameter	Blade Length	Overall Length	Standard Package
99Q 404	$\frac{1}{4}$ "	4"	7 $\frac{1}{2}$ "	12
99Q 506	$\frac{5}{16}$ "	6"	9 $\frac{7}{8}$ "	12
99Q 608	$\frac{3}{8}$ "	8"	12"	6

STUBBY



Number	Blade Dia.	Blade Length	Overall Length	Standard Package
99B 401	$\frac{1}{4}$ "	1 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "	12

MINIATURE



Number	Blade Dia.	Blade Lgth.	Stand. Pkg.
99M 202	$\frac{1}{8}$ "	2"	12
99M 203	$\frac{1}{8}$ "	3"	12
99M 204	$\frac{1}{8}$ "	4"	12

CROSSPOINT




For recessed head screws of cross-slot design, these screwdrivers are needed by every mechanic. Plastic handles, polished shanks.

Number	Blade Diameter	Blade Length	Overall Length	Standard Package
99P 301	$\frac{3}{16}$ "	1 $\frac{1}{2}$ "	2 $\frac{3}{4}$ "	12
99P 303	$\frac{3}{16}$ "	3"	6"	12
99P 401	$\frac{1}{4}$ "	1 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "	12
99P 404	$\frac{1}{4}$ "	4"	7 $\frac{1}{2}$ "	12

SCREWDRIVERS


DROP FORGED



- SOLID DROP FORGED STEEL FROM HANDLE TO TOP.
- HARDWOOD GRIPS WITH PATENTED RIVETS. CAN'T COME OFF.
- GROUND, POLISHED AND LACQUERED.
- BLADES HARDENED AND TEMPERED.
- PERFECT BALANCE AND GRIP.

Number	Blade Width	Blade Length	Overall Length	Standard Package
99F 302	$\frac{3}{16}$ "	2 $\frac{1}{2}$ "	5 $\frac{3}{4}$ "	6
99F 404	$\frac{1}{4}$ "	4"	8 $\frac{3}{8}$ "	6
99F 506	$\frac{5}{16}$ "	6"	11 $\frac{1}{4}$ "	6
99F 708	$\frac{7}{16}$ "	8"	14 $\frac{3}{8}$ "	6
99F 710	$\frac{7}{16}$ "	10"	16 $\frac{3}{8}$ "	6
99F 712	$\frac{1}{2}$ "	12"	18 $\frac{3}{8}$ "	6

STAINLESS STEEL




The finest type of high tensile, stainless steel places this screwdriver in a class by itself. Will not rust or tarnish under severe corrosive conditions.

Number	Blade Dia.	Blade Lgth	Overall Lgth	Std Pack
99S 404	$\frac{1}{4}$ "	4	7 $\frac{3}{4}$ "	12
99S 506	$\frac{5}{16}$ "	6	10 $\frac{1}{4}$ "	12
99S 608	$\frac{3}{8}$ "	8	12 $\frac{1}{2}$ "	6
99S 610	$\frac{3}{8}$ "	10	14 $\frac{1}{2}$ "	6

OFFSET SCREWDRIVERS

NUMBER 99 T 17

COMBINATION CROSS POINT AND STRAIGHT BLADE




For reaching screws in hard-to-reach places, breaking loose frozen screws and setting ones that need greater leverage than the hand driver provides. Note the new combination of straight blade and cross point. Alloy steel blades, hardened and tempered. Attractive bright plating.

STANDARD PACKAGE — 12

WEIGHT STANDARD PACKAGE — 3 LBS.

NUMBER 99 T 19

STRAIGHT BLADE



Each blade in this novel screwdriver is offset at a different angle, providing 8 different positions for setting or removing screws or slotted bolts in close quarters.

Useful and handy for the home, farm or shop.

Blades are made of finest alloy steel, hardened and tempered. Bright plated finish.


STANDARD PACKAGE — 12

WEIGHT STANDARD PACKAGE — 3 LBS.

STEVENS WALDEN, Inc.
WORCESTER, MASS.

MASTER SCREWDRIVER SET

SET NO. 9900 C5



A complete range of screwdrivers in one handy set. Two long drivers (9") for cabinet and general service, fitting all screws from #6 to #20. Short straight blade for screws #0 to #5. Cross point blade for cross-slotted screws. Plated tools in bright plastic roll.


STANDARD PACK — 1

SPECIAL CHUCK TYPE SCREWDRIVERS

Quick and positive action of the screw type chuck on this handle makes this a very popular item with those who appreciate the finest in tools.


Number	Description	Size	Length
99C-101	Plastic Handle	—	—
99C-204	Short Blade	$\frac{1}{8}$	4"
99C-309	Long Blade	$\frac{7}{32}$	9"
99C-409	Long Blade	$\frac{1}{4}$	9"
99CP-404	Crosspoint Blade	$\frac{1}{4}$	4"

STANDARD PACK — 12



Note — These screwdrivers are not interchangeable with our 3800 series.

ADJUSTABLE WRENCHES



The latest word in ADJUSTABLE WRENCHES — thin, narrow jaws, light in weight, with spear-type head. Highest grade alloy steel, bright chrome plate.

Each wrench individually packed in bright colored boxes.

Number	Size
A6	6"
A8	8"
A10	10"
A12	12"

STANDARD PACK — 12

STEVENS WALDEN, Inc.
WORCESTER, MASS.

midget WRENCHES

1/4" SQUARE DRIVE SOCKET WRENCHES

SIX POINT SOCKETS FOR HEX NUTS

Number	Size	S A E Bolts & Nuts	Am Std Bolts & Nuts	U. S. Standard Bolts & Nuts	Cap Screws
3106	3/16		2		
3107	7/32		3		
3108	1/4		4		
3109	9/32		5		

TWELVE POINT SOCKETS FOR HEX NUTS

3110	5/16		6	1/8	1/8
3111	11/32		8		
3112	3/8		10	3/16	3/16
3114	7/16	1/4	12 & 1/4		1/4
3116S	1/2	5/16		5/16	

EIGHT POINT SOCKETS FOR SQUARE NUTS

3157	7/32		3		
3158	3/16		2		
3159	1/4		4		
3160	5/16		5 & 6		
3161	3/8		10		

DEEP SOCKETS FOR HEX NUTS

3178	1/4		4		
3179	9/32		5		
3180	5/16		6	1/8	1/8
3181	11/32		8		
3182	3/8		10	3/16	3/16
3184	7/16		12 & 1/4		1/4

STANDARD PACK — 12 EACH

ADAPTERS

Number	Male Square	Female Square
3131	1/4	9/32
3132	1/4 - 3/8	—
3133	9/32	1/4

STANDARD PACK — 6 EACH

HOSE CLAMP SOCKET

Number	Square Drive	Depth Slots
3124	1/4	7/16

STANDARD PACK — 12 EACH

PACKING GLAND SOCKET FOR KERO TEST VALVES

Number	Square Drive	Oval Dimensions
3141	1/4	1/2 x 3/8

STANDARD PACK — 6 EACH

SCREWDRIVER SOCKETS

Number	Blade Length	Blade Width
3125	3 1/4	5/32
3126	1	1/4
3127	1 1/2	3/8
3129	6	1/4
3130	1/2	3/16


STANDARD PACK — 6 EACH

UNIVERSAL JOINT

Number	Drive	Overall Length
3102	1/4	1


STANDARD PACK — 6 EACH

REVERSIBLE RATCHET HANDLE



Number	Square Drive	Length	Head Diameter
3150	1/4"	5 7/16"	1"

REFRIGERATION RATCHET HANDLE




Number	Square Drive	Length	Head Diameter
3119	1/4"	6"	1 1/8"

RATCHET HANDLE



Number	Square Drive	Length	Head Diameter
3120	1/4"	6"	1 3/8"

HINGE HANDLE



Number	Square Drive	Length	Cross Bar
3117	1/4"	5 7/8"	4 1/2"

SPINTITE SQUARE DRIVE HANDLE




Number	Square Drive	Length	Handle Diameter
3118	1/4"	6"	1"

EXTENSION BARS




Number	Square Drive	Length	Head Diameter
3115	1/4"	6"	1/2"
3121	1/4"	3"	1/2"
3128	1/4"	2"	1/2"

SLIDING TEE HANDLE




Number	Square Drive	Length Head	Length Bar
3116	1/4"	15/16"	4 1/2"

SPEEDER WRENCH



Number	Square Drive	Length
3104	1/4	16

TEE HANDLE SPINNER



Number	Square Drive	Length
3105	1/4	6

FLEXIBLE SPINTITE HANDLE



Number	Square Drive	Length
3122	1/4	6

FLEXIBLE EXTENSION




Number	Square Drive	Length
3123	1/4	6

STANDARD PACK — 6 EACH
ALL ITEMS THIS COLUMN

STEVENS WALDEN, Inc.
WORCESTER, MASS.

midget WRENCH SETS




SET 3100 D17

1/4" SQUARE DRIVE — 17 PIECES

Eight Hex Sockets, Three Double Square Sockets, Reversible Ratchet, Hinge Handle and Cross Bar, Tee Handle, Long and Short Extensions. Alloy Steel, Chrome Plated, Metal Box.

SHIPPING WEIGHT — 2 1/4 LBS.



SET 3100 C14

1/4 INCH SQUARE DRIVE — 14 PIECES

Eight Hex Sockets 3/16" to 7/16", three Double Square Sockets, Hinge Handle and Cross Bar, Spintite Driver with Plastic Handle, Bright Chrome Plated Tools in Steel Box with Bright Enamel Finish.

SHIPPING WEIGHT — 1 1/2 LBS.




SET 3100 B11

1/4 INCH SQUARE DRIVE — 11 PIECES

Six Hex Sockets 1/4" to 7/16", Three Double Square Sockets with Hinge Handle and Cross Bar. Chrome Plated Tools in Steel Box.


SHIPPING WEIGHT — 1 1/4 LBS.



STEVENS WALDEN, Inc.
WORCESTER, MASS.

WRENCH SETS

SET NO. 5



1/4" HEX DRIVE 6 PIECES

Five socket wrenches from 1/4" to 7/16" are held securely on the 1/4" hex shank by spring loaded balls at each end. Driver shank with screwdriver tip, snaps into steel socket in the bright plastic handle. Handy for home repair work.

CASE PACKING—100 SETS

WEIGHT—33 LBS.

SET NO. 7 1/4" HEX DRIVE 7 PIECES



Six Socket Wrenches 3/16" to 1/2" and offset handle in metal clip. Bright plated.

Minimum order 1 case.


CASE PACKING—100 SETS

WEIGHT—24 LBS.

PANEL CUTTERS


98T592

PANEL CUTTER
FOR
ELECTRIC DRIVE



98T564

PANEL CUTTER
FOR
BIT BRACE



A substantial tool for cutting holes in wood, plastic or thin metal panels. Center drill and cutting bit are high speed steel, hardened and ground. Quickly adjustable and will cut circles from 1" to 6" in diameter.

HOLLOW HEAD SET SCREW WRENCHES

REGULAR LENGTH

PACKED 100 PER BOX.

Almost all machinery, instruments, and appliances today use hollow head set screws or cap screws in their assembly. Every person who does repair work needs these handy wrenches.



SET NO. 98K-1

7 PIECES

The seven most popular sizes of these necessary wrenches, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4. Alloy steel, hardened. Bright plated wrenches in pocket size, clear, plastic envelope.

Wrench Number	Size	Screw Sizes		Package Weight
		Set Screws	Cap Screws	
98K-5	5/64	#8		5 ounces
98K-6	3/32	#10 & 12		8 ounces
98K-8	1/8	1/4	#8	1 pound 2 ounces
98K-10	5/32	5/16	#10 & 12	2 pounds 2 ounces
98K-12	3/16	3/8	1/4	3 pounds 2 ounces
98K-14	7/32	7/16	5/16	5 pounds
98K-16	1/4	1/2 - 9/16		7 pounds

CASE PACKING—100 SETS

STEVENS WALDEN, Inc.
WORCESTER, MASS.

GUARANTEE

Walden tools are guaranteed to perform work for which they are designed and will last as long as is consistent with ordinary wear. Any tool found defective in workmanship or material and returned to the factory with charges prepaid will either be replaced or repaired, provided it has been used for the purpose for which the tool was designed. Tools that have been ground or altered in any manner from their original design are not guaranteed. Special tools not listed in our catalog are not guaranteed because they have been manufactured to the original purchaser's specifications.

STEVENS WALDEN, Inc.
WORCESTER, MASSACHUSETTS



SPINTITE
TRADE MARK REGISTERED



Tools of Quality
FOR THE AUTOMOTIVE,
RADIO AND METAL
TRADE INDUSTRIES

Price List

STEVENS WALDEN, Inc.

WORCESTER 4, MASSACHUSETTS

April 1, 1954

SPINTITES® — GRIP SPINTITES® — SCREWDRIVERS MIDGET SOCKET WRENCHES

SHIPPING TERMS — Domestic shipments, F.O.B. Factory, Worcester, Mass. A transportation allowance at the lowest rate applicable will be granted on shipments of 100 pounds or more. No transportation allowances on smaller quantities. On orders for less than \$5.00 we reserve the right to add an additional charge of 50 cents to cover costs of packing.

CASH DISCOUNT — 2% 10 Days,
Net 30 days from date of invoice.

® Trade Mark Registered

SPECIFICATIONS — All specifications and descriptions are as accurate as possible but are subject to change without notice at our discretion.

NOTE — All orders will be invoiced at prevailing price at date of shipment.

All prices and quotations are subject to change without notice. Orders are subject to our acceptance and ability to ship. All agreements contingent upon fires, strikes, and any other conditions beyond our control.

Printed in U.S.A.

New Number	Old Number	Price	Description	Standard Pack	Weight Std. Pack Pounds
---------------	---------------	-------	-------------	------------------	-------------------------------

ALLOY ADJUSTABLE WRENCHES

A6		\$ 1.95	6 inches	12	3.6
A8		2.30	8 inches	12	7.2
A10		2.95	10 inches	12	12.0
A12		4.30	12 inches	12	16.8

SPINTITES — Plastic Handle — Deep Drilled

3000A7		\$ 7.50	7 Pc. Set—Display Box	1	1.6
3000B7	T34	8.00	7 Pc. Set—Aluminum Stand	1	2.2
3006		.98	$\frac{3}{16}$ HEX	12	1.7
3007		.98	$\frac{7}{32}$ HEX	12	1.7
3008		.98	$\frac{1}{4}$ HEX	12	1.7
3009		.98	$\frac{9}{32}$ HEX	12	1.7
3010		.98	$\frac{5}{16}$ HEX	12	1.7
3011		.98	$\frac{11}{32}$ HEX	12	1.8
3012		.98	$\frac{3}{8}$ HEX	12	1.9
3014		1.25	$\frac{7}{16}$ HEX	12	2.8
3016		1.25	$\frac{1}{2}$ HEX	12	2.8
3018		1.65	$\frac{9}{16}$ HEX	6	2.1
3020		1.75	$\frac{5}{8}$ HEX	6	2.3
3022		2.50	$\frac{11}{16}$ HEX	6	2.8
3024		3.10	$\frac{3}{4}$ HEX	6	3.0
3026		3.70	$\frac{13}{16}$ HEX	6	3.3
3028		3.80	$\frac{7}{8}$ HEX	6	3.7

JUMBO SPINTITES — For Self Tapping Screws

3058		\$ 3.00	$\frac{1}{4}$ HEX	6	3.4
3059		3.00	$\frac{9}{32}$ HEX	6	3.4
3062		3.00	$\frac{3}{8}$ HEX	6	3.4
3066		4.75	$\frac{1}{2}$ HEX	6	3.4
3068		4.75	$\frac{9}{16}$ HEX	6	3.5

New Number	Old Number	Price	Description	Standard Pack	Weight Std. Pack Pounds
MIDGET SOCKET WRENCHES — 1/4" Drive					
3100B11	S211	\$ 4.00	Set, 11 piece	1	1.3
3100C14	3100A	7.20	Set, 14 piece	1	1.5
3100D17	S217	10.00	Set, 17 piece	1	2.3
3102		2.00	Universal Joint	6	.5
3104		2.00	Speeder Brace	6	3.0
3105		2.00	Spinner, T Handle	6	3.0
3106		.35	Socket, 6 Pt., 3/16	12	.4
3107		.35	Socket, 6 Pt., 7/32	12	.4
3108		.35	Socket, 6 Pt., 1/4	12	.4
3109		.35	Socket, 6 Pt., 9/32	12	.4
3110		.35	Socket, 12 Pt., 5/16	12	.4
3111		.35	Socket, 12 Pt., 11/32	12	.4
3112		.35	Socket, 12 Pt., 3/8	12	.5
3114		.35	Socket, 12 pt., 7/16	12	.5
3116S		.50	Socket, 12 Pt., 1/2	12	.5
3115		.90	Extension 6"	6	1.2
3116		1.05	Tee Handle	6	1.0
3117		1.90	Hinge Handle	6	1.5
3118		.90	Spintite Handle	6	1.4
3119		2.20	Ratchet Handle	6	2.4
3120		1.10	Ratchet Handle	6	2.4
3121		.75	Extension 3"	6	.8
3122		2.10	Flex Spintite Handle	6	1.8
3123		1.50	Flex Extension 6"	6	2.4
3124		.75	Hose Clamp Socket	12	.5
3125		1.60	Screwdriver Bit 3 1/4 x 5/8	6	1.2
3126		1.10	Screwdriver Bit 1 x 1/4	6	.8
3127		1.20	Screwdriver Bit 1 1/2 x 3/8	6	.8
3128		.75	Extension 2"	6	.7
3129		1.90	Screwdriver Bit 6 x 1/4	6	1.8
3130		.75	Screwdriver Socket	6	.6
3131	3101	.75	Adaptor 1/4 M—9/32 F	6	.3
3132	3102	.75	Adaptor 1/4 M—3/8 M	6	.3
3133	3103	.75	Adaptor 1/4 F—9/32 M	6	.3
3141		.90	Packing Gland Socket	6	.5
3150		3.50	Reversible Ratchet	6	3.0
3157		.35	Socket, 8 Pt., 7/32	12	.4
3158		.35	Socket, 8 Pt., 3/16	12	.4
3159		.35	Socket, 8 Pt., 1/4	12	.4
3160		.35	Socket, 8 Pt., 5/16	12	.4
3161		.35	Socket, 8 Pt., 3/8	12	.4
3178		.70	Socket, Deep 1/4	6	.3
3179		.70	Socket, Deep 9/32	6	.3
3180		.70	Socket, Deep 5/16	6	.3
3181		.70	Socket, Deep 11/32	6	.3
3182		.70	Socket, Deep 3/8	6	.3
3184		.70	Socket, Deep 7/16	6	.3

LONG SPINTITES — Plastic Handles

3206	\$.88	3/16 HEX	12	3.6
3207	.88	7/32 HEX	12	3.6
3208	.88	1/4 HEX	12	3.6
3209	.88	9/32 HEX	12	3.6
3210	.88	5/16 HEX	12	3.6
3211	.88	11/32 HEX	12	3.6
3212	.88	3/8 HEX	12	3.6
3214	1.15	7/16 HEX	12	6.0
3216	1.15	1/2 HEX	12	6.0
3218	1.65	9/16 HEX	6	4.2
3220	1.75	5/8 HEX	6	4.8

SPINTITES — STANDARD — Wood Handle

3400B7	T73	\$ 5.40	Set, 7 Piece, Wood Stand	1	1.7
3406		.59	3/16 HEX	12	1.8
3407		.59	7/32 HEX	12	1.8
3408		.59	1/4 HEX	12	1.8
3409		.59	9/32 HEX	12	1.8
3410		.59	5/16 HEX	12	1.8
3411		.59	11/32 HEX	12	1.8
3412		.59	3/8 HEX	12	1.8
3414		.88	7/16 HEX	12	3.7
3416		.88	1/2 HEX	12	3.7
3418		1.50	9/16 HEX	12	4.0
3420		1.55	5/8 HEX	12	4.0

New Number	Old Number	Price	Description	Standard Pack	Weight Std. Pack Pounds
---------------	---------------	-------	-------------	------------------	-------------------------------

SPINTITES — KNURLED Wood Handles — For Bat Type Switches

3480	6337	\$ 2.50	For Hart Hageman Switch	6	1.3
3481	7225	2.50	For Cutler Hammer Switch	6	1.3

FOR KNURLED NUTS

3490	3710	\$ 1.45	$\frac{5}{16}$ Diameter	6	.8
3491	3711	1.55	$1\frac{1}{32}$ Diameter	6	.9
3492	3712	1.70	$\frac{3}{8}$ Diameter	6	1.3

SQUARE SPINTITES — Wood Handles

3505	\$.90	$\frac{5}{32}$ Square	12	1.8
3506	.90	$\frac{3}{16}$ Square	12	1.8
3507	.90	$\frac{7}{32}$ Square	12	1.8
3508	.90	$\frac{1}{4}$ Square	12	1.8
3509	.90	$\frac{9}{32}$ Square	12	2.0
3510	1.00	$\frac{5}{16}$ Square	12	2.3
3511	1.00	$1\frac{1}{32}$ Square	12	2.5
3512	1.25	$\frac{3}{8}$ Square	12	2.8
3513	1.25	$1\frac{3}{32}$ Square	6	1.8
3514	1.65	$\frac{7}{16}$ Square	6	1.9
3516	1.65	$\frac{1}{2}$ Square	6	2.1
3520	2.00	$\frac{5}{8}$ Square	6	2.3

GRIP — SPINTITES — For Hex Nuts

3600A6	\$18.00	Set, 6 Pc., Display Carton	1	1.9
3600D60	187.00	Display Stand, 60 Piece	1	35.0
3601	2.95	$\frac{5}{64}$ HEX—Miniature	6	1.0
3602	2.95	$\frac{3}{32}$ HEX—Miniature	6	1.0
3603	2.95	$\frac{7}{64}$ HEX—Miniature	6	1.0
3604	2.95	$\frac{1}{8}$ HEX—Miniature	6	1.0
3605	2.95	$\frac{5}{32}$ HEX—Miniature	6	1.0
3606	2.95	$\frac{3}{16}$ HEX	6	1.6
3607	2.95	$\frac{7}{32}$ HEX	6	1.6
3608	2.95	$\frac{1}{4}$ HEX	6	1.6
3609	2.95	$\frac{9}{32}$ HEX	6	1.7
3610	2.95	$\frac{5}{16}$ HEX	6	1.8
3611	2.95	$1\frac{1}{32}$ HEX	6	1.8
3612	2.95	$\frac{3}{8}$ HEX	6	1.8
3614	3.25	$\frac{7}{16}$ HEX	6	2.4
3616	3.25	$\frac{1}{2}$ HEX	6	2.5
3618	3.50	$\frac{9}{16}$ HEX	6	2.7
3620	4.00	$\frac{5}{8}$ HEX	6	3.0
3622	5.00	$1\frac{1}{16}$ HEX	6	4.5

GRIP-SPINTITES — For Square Nuts

3655	\$ 2.95	$\frac{5}{32}$ Square	6	1.6
3656	2.95	$\frac{3}{16}$ Square	6	1.6
3657	2.95	$\frac{7}{32}$ Square	6	1.6
3658	2.95	$\frac{1}{4}$ Square	6	1.7
3660	2.95	$\frac{5}{16}$ Square	6	1.8
3661	3.25	$1\frac{1}{32}$ Square	6	1.8
3662	3.25	$\frac{3}{8}$ Square	6	2.4
3664	3.50	$\frac{7}{16}$ Square	6	2.5
3666	3.50	$\frac{1}{2}$ Square	6	3.0
3668	4.00	$\frac{9}{16}$ Square	6	4.5
3670	4.00	$\frac{5}{8}$ Square	6	4.8

GRIP-SPINTITES — KNURLED — For Bat Switches

36KC563	\$ 3.25	For Cutler-Hammer Switch	6	2.3
36KH600	3.25	For Hart Hageman Switch	6	2.3

New Number	Old Number	Price	Description	Standard Pack	Weight Std. Pack Pounds
SPINTITES — MINIATURE					
3700B6		\$ 4.00	6 Pc. Set—Plastic Roll	1	1.0
3785		.60	$\frac{5}{64}$ HEX	12	.5
3786		.60	$\frac{7}{32}$ HEX	12	.5
3787		.60	$\frac{7}{64}$ HEX	12	.5
3788		.60	$\frac{1}{8}$ HEX	12	.5
3790		.60	$\frac{5}{32}$ HEX	12	.5
3792		.60	$\frac{3}{16}$ HEX	12	.5

SPINTITES — INTERCHANGEABLE — Chuck Type

3800A12	T51	\$ 8.00	Set, 12 Pc., in Roll	1	1.5
3800B15	T52	13.00	Set, 15 Pc., in Roll	1	2.0
3800C6	T42	3.50	Set, 6 Pc., in Roll	1	.8
3800D7	T41	3.50	Set, 7 Pc., in Roll	1	1.0
3801P	3901	1.57	Universal Handle—Plastic	12	3.0
3801W	3801	1.34	Universal Handle—Wood	12	3.0
3802		.62	Ream Awl	12	.6
3803		.62	Screwdriver $\frac{1}{8}$ x 4	12	.6
3804		.62	Screwdriver $\frac{3}{16}$ x 4	12	.6
3805		.62	Screwdriver $\frac{1}{4}$ x 4	12	.6
3806		.45	Spintite Shank, $\frac{3}{16}$	12	.8
3808		.45	Spintite Shank, $\frac{1}{4}$	12	.9
3810		.45	Spintite Shank, $\frac{5}{16}$	12	.9
3811		.45	Spintite Shank, $1\frac{1}{32}$	12	.9
3812		.45	Spintite Shank, $\frac{3}{8}$	12	1.0
3814		.62	Spintite Shank, $\frac{7}{16}$	12	1.8
3816		.62	Spintite Shank, $\frac{1}{2}$	12	1.8
3850		.90	Screwdriver, Crosspoint	12	.8
3852		1.18	Aligning Tool	12	1.0

SPINTITES — STANDARD — Plastic Handle

3900A7		\$ 5.50	Set, 7 Pc., Display Carton	1	1.7
3900B7	T8	6.15	Set, 7 Pc., Wood Stand	1	1.9
3902		.85	Reamawl	12	1.8
3906		.69	$\frac{3}{16}$ HEX	12	1.8
3907		.69	$\frac{7}{32}$ HEX	12	1.8
3908		.69	$\frac{1}{4}$ HEX	12	1.8
3909		.69	$\frac{9}{32}$ HEX	12	1.8
3919		.69	$\frac{5}{16}$ HEX	12	1.8
3911		.69	$1\frac{1}{32}$ HEX	12	1.8
3912		.69	$\frac{3}{8}$ HEX	12	1.8
3914		1.00	$\frac{7}{16}$ HEX	12	3.5
3916		1.00	$\frac{1}{2}$ HEX	12	3.5
3918		1.60	$\frac{9}{16}$ HEX	12	3.9
3920		1.70	$\frac{5}{8}$ HEX	12	4.0

SPINTITES — STUBBY

3956	4406	\$.59	$\frac{3}{16}$ HEX	12	1.4
3957	4407	.59	$\frac{7}{32}$ HEX	12	1.4
3958	4408	.59	$\frac{1}{4}$ HEX	12	1.4
3959	4409	.59	$\frac{9}{32}$ HEX	12	1.4
3960	4410	.59	$\frac{5}{16}$ HEX	12	1.5
3961	4411	.59	$1\frac{1}{32}$ HEX	12	1.5
3962	4412	.59	$\frac{3}{8}$ HEX	12	1.5
3964	4414	.95	$\frac{7}{16}$ HEX	12	2.3
3966	4416	.95	$\frac{1}{2}$ HEX	12	2.3

HOLLOW HEAD SET SCREW WRENCHES

98K1		\$.59	Set, 7 Pc., Plastic Envelope	100	22.0
98K5		.05	$\frac{5}{64}$ size	100	.3
98K6		.05	$\frac{3}{32}$ size	100	.5
98K8		.06	$\frac{1}{8}$ size	100	1.2
98K10		.07	$\frac{5}{32}$ size	100	2.2
98K12		.09	$\frac{3}{16}$ size	100	3.2
98K14		.10	$\frac{7}{32}$ size	100	5.0
98K16		.12	$\frac{1}{4}$ size	100	7.0

New Number	Old Number	Price	Description	Standard Pack	Weight Std. Pack Pounds
---------------	---------------	-------	-------------	------------------	-------------------------------

PANEL CUTTERS

98T564	T564	\$ 3.50	For Bit Brace	6	5.5
98T592	T592	3.50	For Power Tool	6	5.5

STUBBY SCREWDRIVER

99B401	C401	\$.45	¼ x 1½, Plastic Handle	12	1.1
--------	------	--------	------------------------	----	-----

SCREWDRIVER SET

9900C5	T43	\$ 4.90	5 Pc. Set, Plastic Roll	1	.8
--------	-----	---------	-------------------------	---	----

CHUCK TYPE SCREWDRIVER

99C101		\$ 1.57	Chuck Handle Plastic	12	3.0
99C204		.62	¾ x 4, Blade Only	12	1.3
99C309		.75	7/32 x 9, Blade Only	12	2.8
99C409		.75	¼ x 9, Blade Only	12	2.8
99CP404		.90	Crosspoint Blade Only	12	1.3

*These blades fit only the 99C 101 Handle

FORGED SCREWDRIVERS HEAVY DUTY — WOOD INSERT HANDLE

99F302	G2½	\$.70	3/16 x 2½ Blade	6	1.2
99F404	G4	.95	¼ x 4 Blade	6	1.9
99F506	G6	1.30	3/16 x 6 Blade	6	3.8
99F708	G8	1.50	7/16 x 8 Blade	6	5.6
99F710	G10	1.95	7/16 x 10 Blade	6	6.0
99F712	G12	2.50	½ x 12 Blade	6	7.2

MINIATURE SCREWDRIVERS

99M202	C202	\$.20	1/8 x 2, Plastic Handle	12	.6
99M203	C203	.20	1/8 x 3, Plastic Handle	12	.6
99M204	C204	.20	1/8 x 4, Plastic Handle	12	.6

CROSSPOINT SCREWDRIVERS

99P301	P301	\$.55	3/16 x 1½, Plastic Handle	12	.5
99P303	P303	.60	3/16 x 3, Plastic Handle	12	.7
99P401	P401	.65	¼ x 1½, Plastic Handle	12	1.2
99P404	P404	.75	¼ x 4, Plastic Handle	12	1.9

SQUARE BLADE SCREWDRIVERS

99Q404	Q404	\$.90	¼ x 4, Plastic Handle	12	2.4
99Q506	Q506	1.10	5/16 x 6, Plastic Handle	12	3.6
99Q608	Q608	1.60	3/8 x 8, Plastic Handle	6	3.8

New Number	Old Number	Price	Description	Standard Pack	Weight Std. Pack Pounds
ROUND BLADE SCREWDRIVERS					
99R303	C303	\$.50	$\frac{3}{16}$ x 3, Plastic Handle	12	2.0
99R306	C306	.60	$\frac{3}{16}$ x 6, Plastic Handle	12	2.4
99R308	C308	.70	$\frac{3}{16}$ x 8, Plastic Handle	12	4.3
99R404	C404	.65	$\frac{1}{4}$ x 4, Plastic Handle	12	1.9
99R405	C405	.70	$\frac{1}{4}$ x 5, Plastic Handle	12	2.4
99R506	C506	1.00	$\frac{5}{16}$ x 6, Plastic Handle	12	3.4
99R608	C608	1.25	$\frac{3}{8}$ x 8, Plastic Handle	6	2.4
99R612	C612	1.60	$\frac{3}{8}$ x 12, Plastic Handle	6	3.3

STAINLESS STEEL SCREWDRIVERS

99S404	S4	\$ 1.35	$\frac{1}{4}$ x 4, Plastic Handle	12	1.9
99S506	S6	1.60	$\frac{5}{16}$ x 6, Plastic Handle	12	3.4
99S608	S8	1.85	$\frac{3}{8}$ x 8, Plastic Handle	6	3.0
99S610	S10	2.15	$\frac{3}{8}$ x 10, Plastic Handle	6	3.3

OFFSET SCREWDRIVERS

99T417	17	\$.90	Crosspoint and Straight Blades	12	3.0
99T419	19	.70	Straight Blade, 4 Position	12	3.0

TOMAHAWK SETS

5		\$ 1.10	Screwdriver Type set— Plastic Handle	100	33.0
7		.69	7 Piece $\frac{1}{4}$ " HEX Drive, Metal Clip	100	24.0